




BEARING CORP.OF CANADA LTD.



80 mm x 125 mm x 22 mm SKF 7016 CE/HCP4AL Angular contact ball bearings

Bearing No. 7016 CE/HCP4AL

7016 CE/HCP4AL Bearing 2D drawings and 3D CAD models

Size	125x80x22 mm
Bore Diameter	125 mm
Outer Diameter	80 mm
Width	22 mm
d	80 mm
D	125 mm
B	22 mm
d ₁	95.83 mm
d ₂	93 mm
D ₁	109.17 mm
b	2.8 mm
C ₁	11.1 mm
C ₂	3.8 mm
C ₃	3.8 mm
r _{1,2} - min.	1.1 mm
r _{3,4} - min.	0.6 mm
a	24.9 mm
d _a - min.	86 mm
d _b - min.	86 mm
D _a - max.	119 mm
D _b - max.	120.8 mm
r _a - max.	1 mm
r _b - max.	0.6 mm
d _n	98.5 mm



BEARING CORP.OF CANADA LTD.

Basic dynamic load rating - C	33.8 kN
Basic static load rating - C ₀	28 kN
Fatigue load limit - P _u	1.2 kN
Limiting speed for grease lubrication	17500 r/min
Limiting speed for oil lubrication	27000 mm/min
Ball - D _w	11.112 mm
Ball - z	25
G _{ref}	12 cm ³
Calculation factor - f ₀	9.4
Preload class A - G _A	180 N
Preload class B - G _B	550 N
Preload class C - G _C	1090 N
Calculation factor - f	1.1
Calculation factor - f	1
Calculation factor - f _{2A}	1
Calculation factor - f _{2B}	1.03
Calculation factor - f _{2C}	1.05
Calculation factor - f _{HC}	1.01
Preload class A	80 N/micron
Preload class B	127 N/micron
Preload class C	174 N/micron
d ₁	95.83 mm
d ₂	93 mm
D ₁	109.17 mm
C ₁	11.1 mm
C ₂	3.8 mm
C ₃	3.8 mm
r _{1,2} min.	1.1 mm



BEARING CORP.OF CANADA LTD.

$r_{3,4}$ min.	0.6 mm
d_a min.	86 mm
d_b min.	86 mm
D_a max.	119 mm
D_b max.	120.8 mm
r_a max.	1 mm
r_b max.	0.6 mm
d_n	98.5 mm
Basic dynamic load rating C	33.8 kN
Basic static load rating C_0	28 kN
Fatigue load limit P_u	1.18 kN
Attainable speed for grease lubrication	17500 r/min
Attainable speed for oil-air lubrication	27000 r/min
Ball diameter D_w	11.112 mm
Number of balls z	25
Reference grease quantity G_{ref}	12 cm ³
Preload class A G_A	180 N
Static axial stiffness, preload class A	80 N/ μ m
Preload class B G_B	550 N
Static axial stiffness, preload class B	127 N/ μ m
Preload class C G_C	1090 N
Static axial stiffness, preload class C	174 N/ μ m
Calculation factor f	1.1
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.03
Calculation factor f_{2C}	1.05
Calculation factor f_{HC}	1.01



BEARING CORP.OF CANADA LTD.

Calculation factor f_0	9.4
Mass bearing	0.77 kg